Attachment A

Chimney Rock Irrigation District

The Following is a Summary of Chimney Rock Irrigation District's Surface Water Appropriations Prior to this Order:

Appropriation Number	Priority Date	Source	Use	Acres	Grant[1]	Available for Assignment	
						Acres	Grant
D-844 (134)	12/3/1890	North Platte River	IR[2]	5,452.1	60.00	-	-
D-1031 (135)	12/3/1890	North Platte River	IR	231.3	-	-	-
A-768 (141)	9/19/1904	Pathfinder Reservoir	SI[3]	5,452.1	-	-	-
A-768 (142)	9/19/1904	Pathfinder Reservoir	SI	231.3	-	-	-
A-2190 (144)	2/2/1931	North Platte River	IR	47.0	0.67	-	-

[1]Grant = cubic feet per second
[2]IR = Irrigation from natural flow
[3]SI = Supplemental irrigation (from a reservoir) on land also covered by a natural flow appropriation

Attachment B
Chimney Rock Canal

Chimney Rock Irrigation District
Provisional Reliquishments
PREL-11018 & PREL-11019
of Appropriations D-844 & A-768

Legal Description	County	Acres
NW NW S24 T20N-R52W	Morrill	38.0
SW NW S24 T20N-R52W	Morrill	34.0
SE NW S24 T20N-R52W	Morrill	36.0
SW NE S24 T20N-R52W	Morrill	39.0
NW SW S24 T20N-R52W	Morrill	25.1
NE SW S24 T20N-R52W	Morrill	13.2
SW SW S24 T20N-R52W	Morrill	34.2
SE SW S24 T20N-R52W	Morrill	7.6
NW SE S24 T20N-R52W	Morrill	18.2
SW SE S24 T20N-R52W	Morrill	18.1
SE SE S24 T20N-R52W	Morrill	15.6
	Total	**279.0**

Attachment C
Chimney Rock Irrigation District
Lands Entitled to Surface Water Resulting from
Provisional Relinquishments PREL-11018 & PREL-11019
By Order Dated: February 24, 2025

Legal Description	County	Direct Flow			Storage Use		Total Acres
		D-844 (134)	D-1031 (135)	A-2190 (144)	A-768 (141)	A-768 (142)	
T20N-R52W							
SW SW S05 T20N-R52W	Morrill	0.0	5.7	0.0	0.0	5.7	5.7
SE SE S06 T20N-R52W	Morrill	0.0	2.5	0.0	0.0	2.5	2.5
NW NE S07 T20N-R52W	Morrill	1.0	0.0	0.0	1.0	0.0	1.0
NE NE S07 T20N-R52W	Morrill	10.5	0.0	0.0	10.5	0.0	10.5
SW NE S07 T20N-R52W	Morrill	32.0	0.0	0.0	32.0	0.0	32.0
SE NE S07 T20N-R52W	Morrill	31.0	0.0	0.0	31.0	0.0	31.0
NW SE S07 T20N-R52W	Morrill	29.0	0.0	0.0	29.0	0.0	29.0
NE SE S07 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SE S07 T20N-R52W	Morrill	3.5	0.0	0.0	3.5	0.0	3.5
SE SE S07 T20N-R52W	Morrill	27.5	0.0	0.0	27.5	0.0	27.5
NW NW S08 T20N-R52W	Morrill	38.3	0.0	0.0	38.3	0.0	38.3
NE NW S08 T20N-R52W	Morrill	30.7	0.0	0.0	30.7	0.0	30.7
SW NW S08 T20N-R52W	Morrill	24.0	0.0	0.0	24.0	0.0	24.0
SE NW S08 T20N-R52W	Morrill	30.0	0.0	0.0	30.0	0.0	30.0
NW NE S08 T20N-R52W	Morrill	20.0	0.0	0.0	20.0	0.0	20.0
NE NE S08 T20N-R52W	Morrill	18.0	0.0	0.0	18.0	0.0	18.0
SW NE S08 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
SE NE S08 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW SW S08 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NE SW S08 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
SW SW S08 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
SE SW S08 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NW SE S08 T20N-R52W	Morrill	32.0	0.0	0.0	32.0	0.0	32.0
NE SE S08 T20N-R52W	Morrill	31.0	0.0	0.0	31.0	0.0	31.0
SW SE S08 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
SE SE S08 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NW S09 T20N-R52W	Morrill	5.0	0.0	0.0	5.0	0.0	5.0
SW NW S09 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NW S09 T20N-R52W	Morrill	31.0	0.0	0.0	31.0	0.0	31.0
SW NE S09 T20N-R52W	Morrill	31.1	0.0	0.0	31.1	0.0	31.1
SE NE S09 T20N-R52W	Morrill	23.1	0.0	0.0	23.1	0.0	23.1
NW SW S09 T20N-R52W	Morrill	34.0	0.0	0.0	34.0	0.0	34.0
NE SW S09 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
SW SW S09 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SE SW S09 T20N-R52W	Morrill	30.0	0.0	0.0	30.0	0.0	30.0
NW SE S09 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0

		Direct Flow			Storage Use		
NE SE S09 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SE S09 T20N-R52W	Morrill	30.0	0.0	0.0	30.0	0.0	30.0
SE SE S09 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
SW NW S10 T20N-R52W	Morrill	13.0	0.0	0.0	13.0	0.0	13.0
NW SW S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SW S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SW S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE SW S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW SE S10 T20N-R52W	Morrill	19.0	0.0	0.0	19.0	0.0	19.0
NE SE S10 T20N-R52W	Morrill	9.0	0.0	0.0	9.0	0.0	9.0
SW SE S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE SE S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SW S11 T20N-R52W	Morrill	0.0	21.0	0.0	0.0	21.0	21.0
NW SW S13 T20N-R52W	Morrill	0.0	19.0	0.0	0.0	19.0	19.0
NE SW S13 T20N-R52W	Morrill	0.0	6.0	0.0	0.0	6.0	6.0
SW SW S13 T20N-R52W	Morrill	0.0	40.0	0.0	0.0	40.0	40.0
SE SW S13 T20N-R52W	Morrill	0.0	40.0	0.0	0.0	40.0	40.0
SW SE S13 T20N-R52W	Morrill	0.0	35.0	0.0	0.0	35.0	35.0
SE SE S13 T20N-R52W	Morrill	0.0	24.0	0.0	0.0	24.0	24.0
NW NW S14 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
NE NW S14 T20N-R52W	Morrill	3.0	0.0	0.0	3.0	0.0	3.0
SW NW S14 T20N-R52W	Morrill	34.0	0.0	0.0	34.0	0.0	34.0
SE NW S14 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
SW NE S14 T20N-R52W	Morrill	16.0	0.0	0.0	16.0	0.0	16.0
SE NE S14 T20N-R52W	Morrill	1.0	0.0	0.0	1.0	0.0	1.0
NW SW S14 T20N-R52W	Morrill	37.0	0.0	0.0	37.0	0.0	37.0
NE SW S14 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
SW SW S14 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE SW S14 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
NW SE S14 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SE S14 T20N-R52W	Morrill	34.0	0.0	0.0	34.0	0.0	34.0
SW SE S14 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SE SE S14 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NW NW S15 T20N-R52W	Morrill	28.0	0.0	0.0	28.0	0.0	28.0
NE NW S15 T20N-R52W	Morrill	32.0	0.0	0.0	32.0	0.0	32.0
SW NW S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NW S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NE S15 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
NE NE S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW NE S15 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SE NE S15 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
NW SW S15 T20N-R52W	Morrill	37.0	0.0	0.0	37.0	0.0	37.0
NE SW S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SW S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE SW S15 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NW SE S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SE S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SE S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0

		Direct Flow			Storage Use		
SE SE S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NW S16 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NE NW S16 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
SW NW S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NW S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NE S16 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NE NE S16 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SW NE S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NE S16 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NW SW S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SW S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SW S16 T20N-R52W	Morrill	26.0	0.0	0.0	26.0	0.0	26.0
SE SW S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW SE S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SE S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SE S16 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SE SE S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NW S17 T20N-R52W	Morrill	7.4	0.0	0.0	7.4	0.0	7.4
NE NW S17 T20N-R52W	Morrill	25.0	0.0	0.0	25.0	0.0	25.0
NW NE S17 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NE S17 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW NE S17 T20N-R52W	Morrill	4.0	0.0	0.0	4.0	0.0	4.0
SE NE S17 T20N-R52W	Morrill	26.0	0.0	0.0	26.0	0.0	26.0
NE SE S17 T20N-R52W	Morrill	7.0	0.0	0.0	7.0	0.0	7.0
NW NW S21 T20N-R52W	Morrill	3.0	0.0	0.0	3.0	0.0	3.0
NE NW S21 T20N-R52W	Morrill	30.0	0.0	4.0	30.0	0.0	34.0
SE NW S21 T20N-R52W	Morrill	0.0	0.0	23.0	0.0	0.0	23.0
NW NE S21 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NE S21 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SW NE S21 T20N-R52W	Morrill	18.0	0.0	0.0	18.0	0.0	18.0
SE NE S21 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
NE SE S21 T20N-R52W	Morrill	1.6	0.0	0.0	1.6	0.0	1.6
NW NW S22 T20N-R52W	Morrill	27.0	0.0	0.0	27.0	0.0	27.0
NE NW S22 T20N-R52W	Morrill	27.0	0.0	0.0	27.0	0.0	27.0
SW NW S22 T20N-R52W	Morrill	37.0	0.0	0.0	37.0	0.0	37.0
SE NW S22 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NE S22 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
NE NE S22 T20N-R52W	Morrill	34.0	0.0	0.0	34.0	0.0	34.0
SW NE S22 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NE S22 T20N-R52W	Morrill	36.5	0.0	0.0	36.5	0.0	36.5
NW SW S22 T20N-R52W	Morrill	22.0	0.0	0.0	22.0	0.0	22.0
NE SW S22 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
SW SW S22 T20N-R52W	Morrill	0.0	0.0	3.0	0.0	0.0	3.0
SE SW S22 T20N-R52W	Morrill	6.0	0.0	17.0	6.0	0.0	23.0
NW SE S22 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SE S22 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SE S22 T20N-R52W	Morrill	12.0	0.0	0.0	12.0	0.0	12.0
SE SE S22 T20N-R52W	Morrill	32.0	0.0	0.0	32.0	0.0	32.0

		Direct Flow			Storage Use		
NW NW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW NW S23 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
SE NW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NE S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NE S23 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
SW NE S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NE S23 T20N-R52W	Morrill	33.0	0.0	0.0	33.0	0.0	33.0
NW SW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SW S23 T20N-R52W	Morrill	37.0	0.0	0.0	37.0	0.0	37.0
SE SW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW SE S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SE S23 T20N-R52W	Morrill	6.0	0.0	0.0	6.0	0.0	6.0
SW SE S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE SE S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NW S24 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NE S24 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NE S24 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NE S24 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW SW S24 T20N-R52W	Morrill	14.9	0.0	0.0	14.9	0.0	14.9
NE SW S24 T20N-R52W	Morrill	24.8	0.0	0.0	24.8	0.0	24.8
SW SW S24 T20N-R52W	Morrill	5.8	0.0	0.0	5.8	0.0	5.8
SE SW S24 T20N-R52W	Morrill	18.4	0.0	0.0	18.4	0.0	18.4
NW SE S24 T20N-R52W	Morrill	18.8	0.0	0.0	18.8	0.0	18.8
NE SE S24 T20N-R52W	Morrill	13.0	0.0	0.0	13.0	0.0	13.0
SW SE S24 T20N-R52W	Morrill	7.9	0.0	0.0	7.9	0.0	7.9
SE SE S24 T20N-R52W	Morrill	9.4	0.0	0.0	9.4	0.0	9.4
NW NW S25 T20N-R52W	Morrill	28.0	0.0	0.0	28.0	0.0	28.0
NE NW S25 T20N-R52W	Morrill	34.0	0.0	0.0	34.0	0.0	34.0
SE NW S25 T20N-R52W	Morrill	9.0	0.0	0.0	9.0	0.0	9.0
NW NE S25 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
NE NE S25 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW NE S25 T20N-R52W	Morrill	25.0	0.0	0.0	25.0	0.0	25.0
SE NE S25 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
NW NW S26 T20N-R52W	Morrill	2.8	1.2	0.0	2.8	1.2	4.0
NE NW S26 T20N-R52W	Morrill	5.6	9.4	0.0	5.6	9.4	15.0
NW NE S26 T20N-R52W	Morrill	0.0	8.0	0.0	0.0	8.0	8.0
NE NE S26 T20N-R52W	Morrill	9.5	19.5	0.0	9.5	19.5	29.0
T20N-R51W							
SW SW S19 T20N-R51W	Morrill	5.0	0.0	0.0	5.0	0.0	5.0
NW NW S30 T20N-R51W	Morrill	28.0	0.0	0.0	28.0	0.0	28.0
NE NW S30 T20N-R51W	Morrill	26.0	0.0	0.0	26.0	0.0	26.0
SW NW S30 T20N-R51W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
SE NW S30 T20N-R51W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
NW NE S30 T20N-R51W	Morrill	7.0	0.0	0.0	7.0	0.0	7.0
SW NE S30 T20N-R51W	Morrill	16.0	0.0	0.0	16.0	0.0	16.0
SE NE S30 T20N-R51W	Morrill	13.0	0.0	0.0	13.0	0.0	13.0

		Direct Flow			Storage Use		
NW SW S30 T20N-R51W	Morrill	6.0	0.0	0.0	6.0	0.0	6.0
NE SW S30 T20N-R51W	Morrill	12.0	0.0	0.0	12.0	0.0	12.0
NW SE S30 T20N-R51W	Morrill	30.0	0.0	0.0	30.0	0.0	30.0
NE SE S30 T20N-R51W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
SE SE S30 T20N-R51W	Morrill	1.0	0.0	0.0	1.0	0.0	1.0
	Total	**5,173.1**	**231.3**	**47.0**	**5,173.1**	**231.3**	**5,451.4**

Attachment D

Chimney Rock Irrigation District
Chimney Rock Canal

The following is a summary of the appropriations' acres and grants as a result of Chimney Rock Irrigation District's filings PREL-11018 and PREL-11019 in the Department of Natural Resources before and after the attached Order:

Appropriation Number	Use	Appurtenant Portion Prior to this Order		Available for Assignment Prior to this Order		Amount Relinquished in this Order		Amount Assigned in this Order		Available for Assignment After this Order		Appurtenant Portion Effective This Order	
		Acres	Grant[1]	Acres	Grant	Acres	Grant	Acres	Grant	Acres	Grant	Acres	Grant
D-844 (134)	IR[2]	5452.1	60.00	-	-	279.0	3.07	-	-	279.0	3.07	5,173.1	56.93
D-1031 (135)	IR	231.3	-	-	-	-	-	-	-	-	-	231.3	-
A-768 (141)	SI[3]	5452.1	-	-	-	279.0	-	-	-	279.0	-	5,173.1	-
A-768 (142)	SI	231.3	-	-	-	-	-	-	-	-	-	231.3	-
A-2190 (144)	IR	47.0	0.67	-	-	-	-	-	-	-	-	47.0	0.67

[1] grant = cubic feet per second
[2] Irrigation from natural flow
[3] Supplemental irrigation (from a reservoir) on land also covered by a natural flow