

STATE OF NEBRASKA
DEPARTMENT OF WATER, ENERGY, AND ENVIRONMENT

APPROVAL OF MAP NUMBER 21576 FOR CHIMNEY ROCK IRRIGATION DISTRICT

WATER DIVISION 1-A

BACKGROUND

1. By Order of the Department, the Chimney Rock Irrigation District (District) was required to file a map of all lands to be irrigated within six months of the September 3, 2025, signing date of Notification of Reassignment REA-11375 for appropriations D-844 and A-768.
2. On September 5, 2025, the District filed map number 21576 depicting all District lands to be irrigated.

ORDER

IT IS HEREBY ORDERED:

1. Map number 21576 is APPROVED.
2. A summary of the District's appropriations and a List of all lands entitled to water as shown on map number 21576 are described in Attachment A and hereby made a part of this Order.
3. All terms and conditions of previous orders for the District's appropriations remain in effect unless specifically changed by this Order.

DEPARTMENT OF WATER, ENERGY, AND ENVIRONMENT



September 18, 2025

Matthew T. Manning, PE, JD
Chief Water Officer

A copy of this Order was posted on the Department's website. Copies of this Order and map number 21576 were provided to the Department's field office in Bridgeport, Nebraska and mailed to the following:

Frank Nerud, President
Chimney Rock Irrigation District
903 Main Street
Bayard, NE 69334-8003
nerud@hotmail.com

Attachment A
Chimney Rock Irrigation District
Lands Entitled to Surface Water as of this Order

Legal Description	County	Direct Flow			Storage Use		Total Acres
		D-844 (134)	D-1031 (135)	A-2190 (144)	A-768 (141)	A-768 (142)	
T20N-R52W							
SW SW S05 T20N-R52W	Morrill	0.0	5.7	0.0	0.0	5.7	5.7
SE SE S06 T20N-R52W	Morrill	0.0	2.5	0.0	0.0	2.5	2.5
NW NE S07 T20N-R52W	Morrill	1.0	0.0	0.0	1.0	0.0	1.0
NE NE S07 T20N-R52W	Morrill	10.5	0.0	0.0	10.5	0.0	10.5
SW NE S07 T20N-R52W	Morrill	32.0	0.0	0.0	32.0	0.0	32.0
SE NE S07 T20N-R52W	Morrill	31.0	0.0	0.0	31.0	0.0	31.0
NW SE S07 T20N-R52W	Morrill	29.0	0.0	0.0	29.0	0.0	29.0
NE SE S07 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SE S07 T20N-R52W	Morrill	3.5	0.0	0.0	3.5	0.0	3.5
SE SE S07 T20N-R52W	Morrill	27.5	0.0	0.0	27.5	0.0	27.5
NW NW S08 T20N-R52W	Morrill	38.3	0.0	0.0	38.3	0.0	38.3
NE NW S08 T20N-R52W	Morrill	30.7	0.0	0.0	30.7	0.0	30.7
SW NW S08 T20N-R52W	Morrill	24.0	0.0	0.0	24.0	0.0	24.0
SE NW S08 T20N-R52W	Morrill	30.0	0.0	0.0	30.0	0.0	30.0
NW NE S08 T20N-R52W	Morrill	20.0	0.0	0.0	20.0	0.0	20.0
NE NE S08 T20N-R52W	Morrill	18.0	0.0	0.0	18.0	0.0	18.0
SW NE S08 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
SE NE S08 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW SW S08 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NE SW S08 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
SW SW S08 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
SE SW S08 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NW SE S08 T20N-R52W	Morrill	32.0	0.0	0.0	32.0	0.0	32.0
NE SE S08 T20N-R52W	Morrill	31.0	0.0	0.0	31.0	0.0	31.0
SW SE S08 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
SE SE S08 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NW S09 T20N-R52W	Morrill	5.0	0.0	0.0	5.0	0.0	5.0
SW NW S09 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NW S09 T20N-R52W	Morrill	31.0	0.0	0.0	31.0	0.0	31.0
SW NE S09 T20N-R52W	Morrill	31.1	0.0	0.0	31.1	0.0	31.1
SE NE S09 T20N-R52W	Morrill	23.1	0.0	0.0	23.1	0.0	23.1
NW SW S09 T20N-R52W	Morrill	34.0	0.0	0.0	34.0	0.0	34.0
NE SW S09 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
SW SW S09 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SE SW S09 T20N-R52W	Morrill	30.0	0.0	0.0	30.0	0.0	30.0
NW SE S09 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0

		Direct Flow			Storage Use		
NE SE S09 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SE S09 T20N-R52W	Morrill	30.0	0.0	0.0	30.0	0.0	30.0
SE SE S09 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
SW NW S10 T20N-R52W	Morrill	13.0	0.0	0.0	13.0	0.0	13.0
NW SW S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SW S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SW S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE SW S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW SE S10 T20N-R52W	Morrill	19.0	0.0	0.0	19.0	0.0	19.0
NE SE S10 T20N-R52W	Morrill	9.0	0.0	0.0	9.0	0.0	9.0
SW SE S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE SE S10 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SW S11 T20N-R52W	Morrill	0.0	21.0	0.0	0.0	21.0	21.0
NW SW S13 T20N-R52W	Morrill	0.0	19.0	0.0	0.0	19.0	19.0
NE SW S13 T20N-R52W	Morrill	0.0	6.0	0.0	0.0	6.0	6.0
SW SW S13 T20N-R52W	Morrill	0.0	40.0	0.0	0.0	40.0	40.0
SE SW S13 T20N-R52W	Morrill	0.0	40.0	0.0	0.0	40.0	40.0
SW SE S13 T20N-R52W	Morrill	0.0	35.0	0.0	0.0	35.0	35.0
SE SE S13 T20N-R52W	Morrill	0.0	24.0	0.0	0.0	24.0	24.0
NW NW S14 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
NE NW S14 T20N-R52W	Morrill	3.0	0.0	0.0	3.0	0.0	3.0
SW NW S14 T20N-R52W	Morrill	34.0	0.0	0.0	34.0	0.0	34.0
SE NW S14 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
SW NE S14 T20N-R52W	Morrill	16.0	0.0	0.0	16.0	0.0	16.0
SE NE S14 T20N-R52W	Morrill	1.0	0.0	0.0	1.0	0.0	1.0
NW SW S14 T20N-R52W	Morrill	37.0	0.0	0.0	37.0	0.0	37.0
NE SW S14 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
SW SW S14 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE SW S14 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
NW SE S14 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SE S14 T20N-R52W	Morrill	34.0	0.0	0.0	34.0	0.0	34.0
SW SE S14 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SE SE S14 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NW NW S15 T20N-R52W	Morrill	28.0	0.0	0.0	28.0	0.0	28.0
NE NW S15 T20N-R52W	Morrill	32.0	0.0	0.0	32.0	0.0	32.0
SW NW S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NW S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NE S15 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
NE NE S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW NE S15 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SE NE S15 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
NW SW S15 T20N-R52W	Morrill	37.0	0.0	0.0	37.0	0.0	37.0
NE SW S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SW S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE SW S15 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NW SE S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SE S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SE S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0

		Direct Flow			Storage Use		
SE SE S15 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NW S16 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NE NW S16 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
SW NW S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NW S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NE S16 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NE NE S16 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SW NE S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NE S16 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
NW SW S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SW S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SW S16 T20N-R52W	Morrill	26.0	0.0	0.0	26.0	0.0	26.0
SE SW S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW SE S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SE S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SE S16 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SE SE S16 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NW S17 T20N-R52W	Morrill	7.4	0.0	0.0	7.4	0.0	7.4
NE NW S17 T20N-R52W	Morrill	25.0	0.0	0.0	25.0	0.0	25.0
NW NE S17 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NE S17 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW NE S17 T20N-R52W	Morrill	4.0	0.0	0.0	4.0	0.0	4.0
SE NE S17 T20N-R52W	Morrill	26.0	0.0	0.0	26.0	0.0	26.0
NE SE S17 T20N-R52W	Morrill	7.0	0.0	0.0	7.0	0.0	7.0
NW NW S21 T20N-R52W	Morrill	34.4	0.0	0.0	34.4	0.0	34.4
SW NW S21 T20N-R52W	Morrill	22.6	0.0	0.0	22.6	0.0	22.6
NE NW S21 T20N-R52W	Morrill	30.0	0.0	4.0	30.0	0.0	34.0
SE NW S21 T20N-R52W	Morrill	0.0	0.0	23.0	0.0	0.0	23.0
NW NE S21 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NE S21 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
SW NE S21 T20N-R52W	Morrill	18.0	0.0	0.0	18.0	0.0	18.0
SE NE S21 T20N-R52W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
NE SE S21 T20N-R52W	Morrill	1.6	0.0	0.0	1.6	0.0	1.6
NW NW S22 T20N-R52W	Morrill	27.0	0.0	0.0	27.0	0.0	27.0
NE NW S22 T20N-R52W	Morrill	27.0	0.0	0.0	27.0	0.0	27.0
SW NW S22 T20N-R52W	Morrill	37.0	0.0	0.0	37.0	0.0	37.0
SE NW S22 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NE S22 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
NE NE S22 T20N-R52W	Morrill	34.0	0.0	0.0	34.0	0.0	34.0
SW NE S22 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NE S22 T20N-R52W	Morrill	36.5	0.0	0.0	36.5	0.0	36.5
NW SW S22 T20N-R52W	Morrill	22.0	0.0	0.0	22.0	0.0	22.0
NE SW S22 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
SW SW S22 T20N-R52W	Morrill	0.0	0.0	3.0	0.0	0.0	3.0
SE SW S22 T20N-R52W	Morrill	6.0	0.0	17.0	6.0	0.0	23.0
NW SE S22 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SE S22 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SE S22 T20N-R52W	Morrill	12.0	0.0	0.0	12.0	0.0	12.0

		Direct Flow			Storage Use		
SE SE S22 T20N-R52W	Morrill	32.0	0.0	0.0	32.0	0.0	32.0
NW NW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW NW S23 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
SE NW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NE S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NE S23 T20N-R52W	Morrill	39.0	0.0	0.0	39.0	0.0	39.0
SW NE S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NE S23 T20N-R52W	Morrill	33.0	0.0	0.0	33.0	0.0	33.0
NW SW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW SW S23 T20N-R52W	Morrill	37.0	0.0	0.0	37.0	0.0	37.0
SE SW S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW SE S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE SE S23 T20N-R52W	Morrill	39.2	0.0	0.0	39.2	0.0	39.2
SW SE S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE SE S23 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NW S24 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW NE S24 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NE NE S24 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SE NE S24 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
NW SW S24 T20N-R52W	Morrill	14.9	0.0	0.0	14.9	0.0	14.9
NE SW S24 T20N-R52W	Morrill	24.8	0.0	0.0	24.8	0.0	24.8
SW SW S24 T20N-R52W	Morrill	5.8	0.0	0.0	5.8	0.0	5.8
SE SW S24 T20N-R52W	Morrill	18.4	0.0	0.0	18.4	0.0	18.4
NW SE S24 T20N-R52W	Morrill	18.8	0.0	0.0	18.8	0.0	18.8
NE SE S24 T20N-R52W	Morrill	13.0	0.0	0.0	13.0	0.0	13.0
SW SE S24 T20N-R52W	Morrill	7.9	0.0	0.0	7.9	0.0	7.9
SE SE S24 T20N-R52W	Morrill	9.4	0.0	0.0	9.4	0.0	9.4
NW NW S25 T20N-R52W	Morrill	28.0	0.0	0.0	28.0	0.0	28.0
NE NW S25 T20N-R52W	Morrill	34.0	0.0	0.0	34.0	0.0	34.0
SE NW S25 T20N-R52W	Morrill	9.0	0.0	0.0	9.0	0.0	9.0
NW NE S25 T20N-R52W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
NE NE S25 T20N-R52W	Morrill	40.0	0.0	0.0	40.0	0.0	40.0
SW NE S25 T20N-R52W	Morrill	25.0	0.0	0.0	25.0	0.0	25.0
SE NE S25 T20N-R52W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
NW SE S25 T20N-R52W	Morrill	27.8	0.0	0.0	27.8	0.0	27.8
NE SE S25 T20N-R52W	Morrill	25.3	0.0	0.0	25.3	0.0	25.3
SW SE S25 T20N-R52W	Morrill	30.3	0.0	0.0	30.3	0.0	30.3
SE SE S25 T20N-R52W	Morrill	26.9	0.0	0.0	26.9	0.0	26.9
NW NW S26 T20N-R52W	Morrill	2.8	1.2	0.0	2.8	1.2	4.0
NE NW S26 T20N-R52W	Morrill	5.6	9.4	0.0	5.6	9.4	15.0
NW NE S26 T20N-R52W	Morrill	0.0	8.0	0.0	0.0	8.0	8.0
NE NE S26 T20N-R52W	Morrill	9.5	19.5	0.0	9.5	19.5	29.0
T20N-R51W							
SW SW S19 T20N-R51W	Morrill	5.0	0.0	0.0	5.0	0.0	5.0
NW NW S30 T20N-R51W	Morrill	28.0	0.0	0.0	28.0	0.0	28.0
NE NW S30 T20N-R51W	Morrill	26.0	0.0	0.0	26.0	0.0	26.0

		Direct Flow			Storage Use		
SW NW S30 T20N-R51W	Morrill	38.0	0.0	0.0	38.0	0.0	38.0
SE NW S30 T20N-R51W	Morrill	36.0	0.0	0.0	36.0	0.0	36.0
NW NE S30 T20N-R51W	Morrill	7.0	0.0	0.0	7.0	0.0	7.0
SW NE S30 T20N-R51W	Morrill	16.0	0.0	0.0	16.0	0.0	16.0
SE NE S30 T20N-R51W	Morrill	13.0	0.0	0.0	13.0	0.0	13.0
NW SW S30 T20N-R51W	Morrill	6.0	0.0	0.0	6.0	0.0	6.0
NE SW S30 T20N-R51W	Morrill	12.0	0.0	0.0	12.0	0.0	12.0
NW SE S30 T20N-R51W	Morrill	30.0	0.0	0.0	30.0	0.0	30.0
NE SE S30 T20N-R51W	Morrill	35.0	0.0	0.0	35.0	0.0	35.0
SE SE S30 T20N-R51W	Morrill	1.0	0.0	0.0	1.0	0.0	1.0
Total		5,370.6	231.3	47.0	5,370.6	231.3	5,648.9