

A-19808
RID-14014
\$10-Receipt 251



Nebraska Excess Flow Annual Operating Plan

DSS Id: 4

Water Rights Id: 13917

Permit Type: Temporary

Appropriator: Nebraska Public Power District

Point of Diversion: Dawson County Diversion
Dam

Annual Operating Plan Year: 2021

Address: PO Box 499 Columbus, NE 68602

Phone Number: (402) 563-5355

E-mail: jlcitta@nppd.com

- ✓ by john.j.miller Apr 27, 2021, 9:55:14 AM
Status
- ✓ by john.j.miller Apr 27, 2021, 9:55:14 AM
Application Filing Fee Received & NeDNR Filing Review
- ✓ by john.j.miller Apr 27, 2021, 9:55:14 AM
Application Approval

Permit Application (*Alternate Form APA-001*)

What Is the Recharge Application Type? *Natural Flow*

Source Name (From Point of Diversion) *Dawson County Canal from Platte River*

Diversion Type (From Point of Diversion) *Headgate*

Diversion Structure Name (From Point of Diversion) *Dawson County Diversion Dam*

Maximum Capacity of Canal or Delivery Works (CFS) (From Point of Diversion) *525*

Quantity Desired for Recharge Appropriation (CFS) *100*

What is the Minimum Operational Rate of the Canal (CFS) *5*

What is the Earliest Diversion Date? *03/01/2021*

Will This Project Be Constructed under a Federal Program, Receive Federal Funding, or Have Federal Planning Assistance? *No*

Do You Intend to Divert Water into Recharge Facilities Other than Your Canal? *No*

Annual Operating Plan

General System Operations (AOP)

Do You Use This System to Irrigate?

Diversion Begin Date *04/26/2021*

Diversion End Date *09/15/2021*

Delivery to Irrigators Begin Date *07/01/2021*

Delivery to Irrigators End Date *09/15/2021*

Irrigation Narrative (optional) *In general, NPPD begins priming operations the fourth week of April and ends operations near the middle of September. Our rotational schedules for our customers call for irrigation deliveries to begin July 1st.*

Irrigation Use Uploads (Optional)

Irrigation Use Uploads (Optional)

No files uploaded.

☐ Yes ☐ No Do You Use This System to Generate Hydropower?

☐ Yes ☐ No Do You Use This System for Storage?

Narrative for All Non-excess Flow Activities That Would Affect the Ability to Divert Excess Flows (Optional)

Partners & Sponsors

Sponsor 1

Name of Entity Paying for Recharge at this Facility *PRRIP*

Per Acre-foot Cost Basis for Recharge at This Facility *Recharged*

Max Volume per Annum *999999*

Upload Sponsor Documents

 [Wtr Svc Agree Rchrg Exss Flws.pdf \[https://dssdnr.nebraska.gov/filedownload/7\]](https://dssdnr.nebraska.gov/filedownload/7)

Recharge Facilities (AOP)

Dawson County Canal

Location & Capacity

Name of Facility (If Only One Facility, This Is the Canal Name) *Dawson County Canal*

Type of Facility *Canal*

Delivery Point Coordinates

Latitude *40.84801*

Longitude *-99.985*

Operational Constraints: Enter Dates or Describe in the Narrative below When Can This Facility Can Be Operated?

Begin Date of Constraints (Optional): *01/01/2021*

End Date of Constraints (Optional): *12/31/2021*

Narrative of Constraints: Describe Details (Example: Weather Is Too Cold, so Cannot Operate the Facility) *Cannot operate canal for recharge if: - Operating the canal for irrigation - Maintenance is occurring - Operations may cause the canal prism to freeze*

Diversion Rate from Stream (CFS)

Amount needed to be diverted in order to deliver the amount specified in the next question below. The total of the diversion values entered for all project facilities should add up to the amount to be appropriated in the application section. *100*

Delivery Rate (CFS)

Amount to Be delivered into the project facility from the stream diversion. If your project consists of one canal, then the value for this question should be the same as the value for the previous question. For projects where a canal delivers water to a recharge site: (the stream diversion rate) minus (the project facility delivery rate) = canal loss. 100

Anticipated Maximum Annual Diversion (AF)

The upper limit of water diverted from the stream for this project facility. 10000

Maximum Operational Head (FT)

For reservoirs and wetlands, how deep will the water get? For canal sections, what is the maximum height of water (head) in the canal while diversions under this application are occurring? 5

Maximum Water Surface Area (Acres)

For reservoirs and wetlands, what will be the maximum water surface area corresponding to the maximum head. For canals this would be the average canal width multiplied by the canal section length where recharge will occur. 200

Are Engineering Drawings Available? No

Partners & Sponsors

- **PRRIP** (contract uploaded)

Instrumentation

Instrument 1 - Inflow

Name of Inflow Measurement Site Dawson County Canal Measurement Flume - DNR Operated

Geographic Coordinates of Measurement Device

Latitude 40.848

Longitude -99.985

Recorder Type Transducer

Recording Increments 15 Minute

Live Data Feed available to NeDNR? Yes

Instrument 2 - Outflow

Name of Outflow Measurement Site Main Canal Outflow

Geographic Coordinates of Measurement Device

Latitude 40.754

Longitude -99.436

Recorder Type Transducer

Recording Increments 15 Minute

Live Data Feed available to NeDNR? Yes

Partners & Sponsors

Sponsor 1

Name of Entity Paying for Recharge at this Facility *PRRIP*

Per Acre-foot Cost Basis for Recharge at This Facility *Recharged*

Max Volume per Annum *999999*

Upload Sponsor Documents

 [Wtr Svc Agree Rchrg Exss Flws.pdf \[https://dssdnr.nebraska.gov/filedownload/71\]](https://dssdnr.nebraska.gov/filedownload/71)



Nebraska Public Power District

"Always there when you need us"

February 8, 2022

Michael Thompson
Nebraska Department of Natural Resources
301 Centennial Mall South
PO Box 94676
Lincoln NE 68509

Re: VAR-9543 and VAR-9544, Applications for a Permit to Appropriate Water

Dear Mr. Thompson:

On February 3, 2022, NPPD submitted Applications to Appropriate Water and Annual Operating Plans for temporary recharge for the Gothenburg and Dawson County Canals. Enclosed is a \$20 check to cover the filing fees.

If you have any questions, please contact me at (402) 362-7360.

Sincerely,

Jeff Shafer
Water Resources Advisor

Enclosure

Sorry about the check
not being in with the
letter last week!

It's here now!

Thanks!

Sharri

RECEIVED

FEB 10 2022

DEPARTMENT OF
NATURAL RESOURCES



Nebraska Public Power District

PO Box 499 / Columbus, NE 68602-0499

Hasler

02/08/2022

US POSTAGE

FIRST-CLASS MAIL

\$00.53⁰



ZIP 68601
011D12601923

Michael Thompson
Nebraska Department of Natural Resources
301 Centennial Mall South
PO Box 94676
Lincoln NE 68509

RECEIVED



FEB 10 2022

DEPARTMENT OF
NATURAL RESOURCES

6850934676 B050

