

A-19816
14019
#263 #10-
1-A



Nebraska Excess Flow Annual Operating Plan

DSS Id: 15

Appropriator: Suburban Irrigation District

Address: PO Box 210 Hershey, NE 69143

Water Rights Id: Pending

Point of Diversion: Suburban Diversion Dam

Phone Number: (308) 386-2272

Permit Type: Temporary

Annual Operating Plan Year: 2022

E-mail: msfisch@gpcom.net



Submitted

Status



In Progress

Application Filing Fee Received & NeDNR Filing Review



Upcoming

Application Approval

Permit Application (Alternate Form APA-001)

What Is the Recharge Application Type? *Natural Flow*

Source Name (From Point of Diversion) *Suburban Canal from North Platte River*

Diversion Type (From Point of Diversion) *Headgate*

Diversion Structure Name (From Point of Diversion) *Suburban Diversion Dam*

Maximum Capacity of Canal or Delivery Works (CFS) (From Point of Diversion) *105*

Quantity Desired for Recharge Appropriation (CFS) *77.47*

What is the Minimum Operational Rate of the Canal (CFS) *20*

What is the Earliest Diversion Date? *04/01/2022*

Will This Project Be Constructed under a Federal Program, Receive Federal Funding, or Have Federal Planning Assistance? *No*

Do You Intend to Divert Water into Recharge Facilities Other than Your Canal? *No*

Annual Operating Plan

General System Operations (AOP)

Yes No

Do You Use This System to Irrigate?

Diversion Begin Date *05/01/2022*

Diversion End Date *09/15/2022*

Delivery to Irrigators Begin Date *06/01/2022*

Delivery to Irrigators End Date *09/15/2022*

Irrigation Narrative (optional) *In a normal year, the irrigation canal generally takes water to flush the main & laterals for about 2 weeks prior to needing irrigation water. Timing is dependent on precipitation. This generally occurs around the last week of April to the first week of May. The canal does have some non-traditional row crops such as alfalfa & grass that will take a small amount of irrigation water earlier. The bulk of the irrigation occurs for corn & soybean crops, and those usually take water from late June to the first week of July and run thru September 20th. After the last round of irrigation, the canal pulls all the check boards and runs water down the canal for 10-12 days to clean out all of the piled up sand and mud to restore the bottom of the canal to a flat surface for the next year.*

Irrigation Use Uploads (Optional)

No files uploaded.

Yes No

Do You Use This System to Generate Hydropower?

Yes No

Do You Use This System for Storage?

Narrative for All Non-excess Flow Activities That Would Affect the Ability to Divert Excess Flows (Optional) *This canal does not operate under prolong periods of freezing conditions.*

Partners & Sponsors

Sponsor 1

Name of Entity Paying for Recharge at this Facility *Twin Platte Natural Resources District*

Per Acre-foot Cost Basis for Recharge at This Facility *Recharged*

Max Volume per Annum *9203*

Upload Sponsor Documents

 [5_yr MOA for Excess Flow \(2018-2022\) Contract #1012 - Signed - Suburban.pdf \[https://dssdnr.nebraska.gov/filedownload/31\]](https://dssdnr.nebraska.gov/filedownload/31)

Recharge Facilities (AOP)

Suburban Canal

Location & Capacity

Name of Facility (If Only One Facility, This Is the Canal Name) *Suburban Canal*

Type of Facility *Canal*

Delivery Point Coordinates

Latitude *41.19253*

Longitude *-101.022*

Operational Constraints: Enter Dates or Describe in the Narrative below When Can This Facility Can Be Operated?

Begin Date of Constraints (Optional):

End Date of Constraints (Optional):

Narrative of Constraints: Describe Details (Example: Weather Is Too Cold, so Cannot Operate the Facility) *Does not operate under prolonged freezing conditions.*

Diversion Rate from Stream (CFS)

Amount needed to be diverted in order to deliver the amount specified in the next question below. The total of the diversion values entered for all project facilities should add up to the amount to be appropriated in the application section. *77.47*

Delivery Rate (CFS)

Amount to Be delivered into the project facility from the stream diversion. If your project consists of one canal, then the value for this question should be the same as the value for the previous question. For projects where a canal delivers water to a recharge site: (the stream diversion rate) minus (the project facility delivery rate) = canal loss. 77.47

Anticipated Maximum Annual Diversion (AF)

The upper limit of water diverted from the stream for this project facility. 9203

Maximum Operational Head (FT)

For reservoirs and wetlands, how deep will the water get? For canal sections, what is the maximum height of water (head) in the canal while diversions under this application are occurring? 4

Maximum Water Surface Area (Acres)

For reservoirs and wetlands, what will be the maximum water surface area corresponding to the maximum head. For canals this would be the average canal width multiplied by the canal section length where recharge will occur. 46.3

Are Engineering Drawings Available? No

Partners & Sponsors

- Twin Platte Natural Resources District *(contract uploaded)*

Instrumentation

Instrument 1 - Inflow

Name of Inflow Measurement Site Canal Gage

Geographic Coordinates of Measurement Device

Latitude 41.19253

Longitude -101.022

Recorder Type Bubble

Recording Increments 15 Minute

Live Data Feed available to NeDNR? Yes

Partners & Sponsors

Sponsor 1

Name of Entity Paying for Recharge at this Facility Twin Platte Natural Resources District

Per Acre-foot Cost Basis for Recharge at This Facility Recharged

Max Volume per Annum 9203

Upload Sponsor Documents

Upload Sponsor Documents

 [5_yr MOA for Excess Flow \(2018-2022\) Contract #1012 - Signed - Suburban.pdf \(https://dssdnr.nebraska.gov/filedownload/31\)](#)

DSS Id: 15

Appropriator: Suburban Irrigation District

Address: PO Box 210 Hershey, NE 69143

Water Rights Id: Pending

Point of Diversion: Suburban Diversion Dam

Phone Number: (308) 386-2272

Permit Type: Temporary

Annual Operating Plan Year: 2022

E-mail: msfisch@gpcom.net

Variance Petition

Open



Submitted

Status



Filing Accepted

Petition Filing Fee Received & NeDNR Filing Review



Variance Petition Approved

Variance Petition Approval

Application / Annual Operating Plan

Open



Submitted

Status



In Progress

Application Filing Fee Received & NeDNR Filing Review



Upcoming

Application Approval

Submit Application/Annual Operating Plan



You are about to submit your Application/Annual Operating Plan to the Nebraska DNR for review.

Please note that this will not be officially filed until a **\$10 non-refundable fee** is received in the Department. At this time, the Department cannot accept electronic payments, therefore:

After submitting this petition, **please remit the \$10 non-refundable filing fee within 30 days** with correspondence referencing your application(s) to:

State of Nebraska
Department of Natural Resources
301 Centennial Mall South
P.O. Box 94676
Lincoln, Nebraska, 68509-4676

If you have any questions regarding this form, please contact the Surface Water Permitting Section at the Department of Natural Resources (402) 471-2363.

Submit

Cancel

TWIN PLATTE

NATURAL RESOURCES DISTRICT

Great Western Bank Center
111 South Dewey Street, 2nd Floor
P.O. Box 1347
North Platte, Nebraska 69103-1347

NORTH PLATTE NE 691

17 FEB 2022 PM 02:17/2022

neopost

FIRST-CLASS MAIL

US POSTAGE

\$00.73



ZIP 69101
041L10234130

RECEIVED

FEB 22 2022

DEPARTMENT OF
NATURAL RESOURCES

6850984676

