# U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

National Flood Insurance Program

**CRS EC Checklist** 

#### **ELEVATION CERTIFICATE**

**IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19** 

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A – PROPERTY INFORMATION	FOR INSURANCE COMPANY USE	
A1. Building Owner's Name:	Policy Number:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: Either A2 or A3 must be completed, with City, State and Zip included	Company NAIC Number:	
City: State:	ZIP Code:	
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Num		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.):  must be formatted correctly (see Instructions)  A5. Latitude/Longitude:  Lat.  Long.  Horizontal Datum:	urately as possible one must be chosen AD 1927 NAD 1983 WGS 84	
A6. Attach at least two and when possible four clear photographs (one for each side) of the building	(see Form pages 7 and 8).	
A7. Building Diagram Number: Must be: 1A,1B,2A,2B,3,4,5,6,7,8,9	otos required (photos must be in color and clear)	
A8. For a building with a crawlspace or enclosure(s): Enter "N/A" in fields that are not applicable. Blank fi	elds are assumed to be "N/A"	
a) Square footage of crawlspace or enclosure(s): sq. ft.	one must be chosen	
b) Is there at least one permanent flood opening on two different sides of each enclosed area?		
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot  Non-engineered flood openings:  Engineered flood openings:		
d) Total net open area of non-engineered flood openings in A8.c: sq. in. Enter ac		
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instruction		
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions):  sq. ft. On an A9. For a building with an attached garage: Enter "N/A" in fields that are not applicable. Blank fields are as	d engineered openings are present	
A9. For a building with an attached garage: Enter "N/A" in fields that are not applicable. Blank fields are as a) Square footage of attached garage: sq. ft.		
b) Is there at least one permanent flood opening on two different sides of the attached garage?	one must be chosen  ☐ Yes ☐ No ☐ N/A	
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent Non-engineered flood openings:  Engineered flood openings:		
d) Total net open area of non-engineered flood openings in A9.c: sq. in. Enter	actual opening size	
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instruction		
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): sq. ft. O		
SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFOR	RMATION	
B1.a. NFIP Community Name: Must be entered and correct B1.b. NFIP Community Idea	ntification Number: Must be entered and correct	
B2. County Name: B3. State: B4. Map/Panel No.: _	B5. Suffix:	
B6. FIRM Index Date: B7. FIRM Panel Effective/Revised Date:		
B8. Flood Zone(s): B9. Base Flood Elevation(s) (BFE) (Zone AO, use E	Base Flood Depth):	
B11. Indicate elevation datum used for BFE in Item B9:   NGVD 1929  NAVD 1988  Other	Source:	
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Prote Designation Date:	ected Area (OPA)?	
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)?	No	

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

<b>Building Street</b>	Address (including Ap	t., Unit, Suite, a	nd/or Bldg. No.) o	or P.O. Route and Box	No.:	FOR II	ISURAN	ICE C	OMPANY USE
City:	Must match page 1 and all other pages		State:	ZIP Code:		Policy N	lumber:		
						Company NAIC Number:			
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)									
C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction  *A new Elevation Certificate will be required when construction of the building is complete.									
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, A99. Complete Items C2.a–h below according to the Building Diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: Vertical Datum:									
	ion datum used for th		items a) through	h) below.					
☐ NGVD	1929 NAVD 19	38 Other:					es", provi o <u>r i</u> n Com		
				for the BFE. Convers	sion factor us	sed?	Yes		No
	e the source of the co g) must always have a bottom floor (includin						Check th		asurement used: meters
	the next higher floor						 feet		meters
c) Bottom	of the lowest horizor	ntal structural m	ember (see Inst	ructions):			feet		meters
d) Attache	ed garage (top of slat	o):					feet		meters
	elevation of Machine be type of M&E and le						feet		meters
•	Adjacent Grade (LA			on	e must be cho	osen	feet		meters
	•						feet		meters
	g) Highest Adjacent Grade (HAG) next to building: Natural Finished feet meters  (h) Finished LAG at lowest elevation of attached deck or stairs, including structural								
suppor				,			feet		meters
	SECTIO	N D – SURVE	YOR, ENGIN	EER, OR ARCHITI	ECT CERT	IFICATI	ON		
information. I c	ertify that the informa	tion on this Ce	rtificate represer	gineer, or architect au nts my best efforts to 18 U.S. Code, Section	interpret the				
Were latitude a	and longitude in Secti	on A provided b	y a licensed lan	d surveyor?	s 🗌 No				
Check here	if attachments and d	escribe in the C	comments area.						
Certifier's Nam	e:		Licen	nse Number:					
Title:									
Company Nam	e:								
Address:									
City:			State:	ZIP Code: _					
Signature	All 4 highlighte must be in this			Data:					
Telephone:	must be in this			Date.			Pla	ce Sea	l Here
-	of this Elevation Certi			community official, (2			ıpanv. ar	nd (3) b	uilding owner.
				uipment and location	•	-			_
Use this space to describe type of mach/equip in C2e and location, engineered flood opening model #s and rated areas, datum conversions, map changes between permitting and certifying EC, and other relevant information not specified elsewhere on the certificate.									

Building Street Address (including Apt., Uni	FOR INSURANCE COMPANY USE							
Must match page 1 and all other pages	Policy Number:							
City: and all other pages	State:	ZIP Code:	Company NAIC Number:					
SECTION E – BUILDING MEASUREMENT INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BFE)								
For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters.								
Building measurements are based on: Construction Drawings* Building Under Construction* Finished Construction  *A new Elevation Certificate will be required when construction of the building is complete. submit only "Finished Construction" ECs								
E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the appropriate boxes to show whether the measurement is above or below the natural HAG and the LAG.								
(a) Top of bottom floor (including bas crawlspace, or enclosure) is:	ement,	feet meters	above or below the HAG.					
b) Top of bottom floor (including bas crawlspace, or enclosure) is:	ement,	feet meters	above or below the LAG.					
E2. For Building Diagrams 6–9 with permonent higher floor (C2.b in applicable)	nanent flood openings p	rovided in Section A Items 8 and/o	r 9 (see pages 1–2 of Instructions), the					
Building Diagram) of the building is:			above or below the HAG.					
E3. Attached garage (top of slab) is:		feet meters	above or below the HAG.					
E4. Top of platform of machinery and/or servicing the building is:	<mark>equipment</mark>	feet meters	above or below the HAG.					
floodplain management ordinance?	E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown The local official must certify this information in Section G. only when this applies must one of these be chosen							
SECTION F - PROPERTY (	OWNER (OR OWNER	R'S AUTHORIZED REPRESEN	TATIVE) CERTIFICATION					
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge  Check here if attachments and describe in the Comments area.								
Check here if attachments and descri								
Property Owner or Owner's Authorized Re	epresentative Name:	Complete Section F if Section E is use	ed.					
Property Owner or Owner's Authorized Ro		Complete Section F if Section E is use	ed.					
	oprocontaino, _		ZIP Code:					
Property Owner or Owner's Authorized Ro		State:						
Property Owner or Owner's Authorized Real Address:  City:  Signature:		State:	ZIP Code:					
Property Owner or Owner's Authorized Real Address:  City:  Signature:		State: Date:	ZIP Code:					
Property Owner or Owner's Authorized Roaddress: City: Signature: Telephone:		State: Date:	ZIP Code:					
Property Owner or Owner's Authorized Roaddress: City: Signature: Telephone:		State: Date:	ZIP Code:					
Property Owner or Owner's Authorized Roaddress: City: Signature: Telephone:		State: Date:	ZIP Code:					
Property Owner or Owner's Authorized Roaddress: City: Signature: Telephone:		State: Date:	ZIP Code:					
Property Owner or Owner's Authorized Roaddress: City: Signature: Telephone:		State: Date:	ZIP Code:					
Property Owner or Owner's Authorized Roaddress: City: Signature: Telephone:		State: Date:	ZIP Code:					

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:								FOR INS	FOR INSURANCE COMPANY USE			
		Must match							Policy Number:			
City:		and all othe	er pages		State:	<mark>Z</mark>	IP Code:		Company NAIC Number:			
SECTION G - COMMUNITY INFORMATION (RECOMMENDED FOR COMMUNITY OFFICIAL COMPLETION)												
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Section A, B, C, E, G, or H of this Elevation Certificate. Complete the applicable item(s) and sign below when:												
G1.	G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)											
G2.a.	G2.a.   A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO.											
G2.b.	☐ A loc	cal official c	completed	d Section H f	for insurance	purposes						
G3.	☐ In th	e Commen	its area o	f Section G,	the local offic	cial descri	bes specific co	rrections to t	he informatior	n in Sections A, B, E and F		
G4.	The	following ir	nformatio	n (Items G5-	-G11) is prov	ided for co	ommunity flood	lplain manag	ement purpos	ses.		
G5.	Permit N	lumber:			G6. [	Date Perm	nit Issued:					
G7.	Date Ce	rtificate of (	Complian	ce/Occupan	cy Issued:							
G8.	This peri	mit has bee	en issued	for: Ne	w Constructi	on 🗌 Su	ubstantial Impr	one ovement <sub>"Ne</sub>	e must be select ew Const." or "S	ted for every EC. Only submit Sub Imp." for CRS purposes.		
G9.a.	Elevation				ng basement)				meters	Datum:		
G9.b.	Elevation member:		of as-bu	ilt lowest hor	rizontal struct	ural			meters	Datum:		
G10.a	BFE (or	depth in Zo	one AO) d	of flooding at	the building	site:		feet	meters	Datum:		
G10.b	G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural											
	member: one must be selected for every EC feet meters Datum:											
G11.	Variance	e issued?	Yes	☐ No If	yes, attach o	document	ation and desc	ribe in the Co	omments area	<u>.</u>		
The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section.												
Local	Official's N	Name:					Title:					
NFIP (	Communit											
Teleph												
Addres	ss:		Comple		nlighted field							
City:			When a	ny field (G	1 - G11) in S	Section		_ State:	ZIP C	ode:		
G is completed, these 4 fields must be												
Signature: Date:												
Comments (including type of equipment and location, per C2.e; description of any attachments; and corrections to specific information in Sections A, B, D, E, or H):												
The local floodplain manager can use this section to add any additional notes or to make corrections on the form												

		JKIANI. WOO	JI I OLLOW	THE INSTRUCTIONS ON FA					
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:					FOR INSURANCE COMPANY USE				
	NOT REQUIRE				Policy Number:				
City:	FOR CRS	S	state:	ZIP Code:	Company NAIC Number:				
				OR HEIGHT INFORMATION					
to determine the buil nearest tenth of a fo	lding's first floor he ot (nearest tenth c	eight for insura of a meter in Pu	nce purposes uerto Rico). <i>R</i>	. Sections A, B, and I must a	may complete Section H for all flood zones also be completed. Enter heights to the type Diagrams (at the end of Section H to complete this section.				
H1. Provide the height of the top of the floor (as indicated in Foundation Type Diagrams) above the Lowest Adjacent Grade (LAG):									
floor (include ab	a) For Building Diagrams 1A, 1B, 3, and 5–9. Top of bottom feet meters above the LAG floor (include above-grade floors only for buildings with subgrade crawlspaces or enclosure floors) is:								
higher floor (i.e.	b) For Building Diagrams 2A, 2B, 4, and 6–9. Top of next higher floor (i.e., the floor above basement, crawlspace, or enclosure floor) is:								
H2. Is <b>all</b> Machinery and Equipment servicing the building (as listed in Item H2 instructions) elevated to or above the floor indicated by the H2 arrow (shown in the Foundation Type Diagrams at end of Section H instructions) for the appropriate Building Diagram?  [ Yes									
SECTION	N I – PROPERT	Y OWNER (C	R OWNER'	S AUTHORIZED REPRE	SENTATIVE) CERTIFICATION				
	ect to the best of r	my knowledge.			must sign here. <i>The statements in Sections</i> official completed Section H, they should				
Check here if atta	achments are prov	vided (includinç	g required pho	otos) and describe each attac	chment in the Comments area.				
Property Owner or C	)wner's Authorized	d Representati	ve Name:						
Address:	NOT	Γ REQUIRED							
City:	<u>_</u>	OR CRS		State:	ZIP Code:				
Signature:				Date:					
Telephone:		Ext.:	Email:						
Comments:									